




DIS. COD. 60.9500.00

KIT N.	KIT 83	KIT 123	PISTON - PISTONE Ø 15				PISTON - PISTONE Ø 18			
			KIT 196	KIT 198	KIT 200	KIT 226	KIT 197	KIT 199	KIT 225	KIT 227
Positions Included Posizioni Include	16	3 - 4 - 5 6 - 7 (10)	44 - 46 47	45	42 - 43	42 - 43 44 - 45 46 - 47	44 - 46 47	45	42 - 43	42 - 43 44 - 45 46 - 47
N. pcs.	3	6	3	3	3	1	3	3	3	1

60 SERIES

STANDARD
VERSION


VERSIONE
STANDARD

M

EL1707 - EL1708 - EL1510 - EL1513 UL1708 - UL1509 - UL1710 - UL1512 EH1708 - EH1710 - EH1711 - EH1713 UH1708 - UH1710 UH1712 - UH1713	
--	--

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	60.1200.41	Testata pist. Ø 15	1
	60.1201.41	Testata pist. Ø 18	1
2	99.1950.00	Vite M6x45 UNI 5931 8.8 tropicalizzata	8
3	90.3841.00	OR Ø 17,13x2,62 (3068)	KIT 123 6
4	36.2003.66	Sede valvola	KIT 123 6
5	36.2001.76	Valvola	KIT 123 6
6	94.7376.00	Molla Øm. 9,4x14,8 INOX	KIT 123 6
7	36.2025.51	Guida valvola	KIT 123 6
8	90.3847.00	OR Ø 20,24x2,62 (3081) - 90 Sh.	6
9	98.2214.00	Tappo valvola M 24x1,5	6
10	36.7115.01	Gruppo valvola	KIT 123 6
11	99.1807.00	Vite M8x10 UNI 5739 8.8 zincata	8
12	50.1500.74	Coperchio lat. carter	2
13	44.2118.01	Distanziale con indicatore	1
14	90.4097.00	OR Ø 55,56x3,53 (159)	2
15	91.8328.00	Cuscinetto a sfere 6305	2
16	90.1565.00	Anello radiale Ø 15x24x5	KIT 83 3
17	60.0100.22	Carter	1
18	98.2103.00	Tappo carico olio G3/8	1
	60.0202.65	Albero UH1708	1
	60.0204.65	Albero EH1708-UH1710	1
	60.0207.65	Albero UL1509-EH1710-UH1712	1
	60.0209.65	Albero EH1711-UH1713	1
	60.0212.65	Albero EL1707-EL1510-UL1708-UL1512-EH1713	1
	60.0217.65	Albero EL1708-EL1513-UL1710	1
20	91.4892.00	Linguetta	1
21	60.0500.66	Guida pistone	3
22	60.0300.22	Biella	3
23	90.3918.00	OR Ø 94,92x2,62 (3375)	1
24	60.1600.22	Coperchio posteriore carter	1
25	99.1867.00	Vite M6x18 UNI 5931 8.8 zincata	4
26	90.3585.00	OR Ø 10,82x1,78 (2043)	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
27	98.2041.00	Tappo G1/4x9	1
28	98.1966.00	Tappo G1/8x8	1
29	97.7333.00	Spinotto Ø 9x24,5	3
30	96.7070.00	Rosetta Ø 9x23x0,5	3
31	90.5022.00	Anello antiest. Ø 6,2x9x1,5	3
32	90.3573.00	OR Ø 5,28x1,78 (2021)	3
	60.0400.09	Pistone Ø 15x30	3
33	60.0401.09	Pistone Ø 18x30	3
34	44.2115.70	Rosetta Ø 8 con collare	3
35	92.2216.00	Dado M8 INOX	3
36	90.0635.00	Anello seeger Ø 25 UNI 7435	1
37	90.1634.00	Anello radiale Ø 25x42x7	1
38	50.2115.51	Distanziale	1
39	50.2000.74	Piedino	2
40	96.7016.00	Rosetta Ø 8,4 UNI 1751 zincata	4
41	99.3037.00	Vite M8x16 UNI 5739 8.8 zincata	4
	60.0800.70	Anello di fondo Ø 15	KIT 200-226 3
	60.0801.70	Anello di fondo Ø 18	KIT 225-227 3
43	90.3604.00	OR Ø 25,12x1,78 (2100)	KIT 200-225-226-227 3
	90.2608.00	Anello ten. alt. Ø 15x22x5 L.P.	KIT 196-226 3
44	90.2650.00	Anello ten. alt. Ø 18x24x5 L.P.	KIT 197-227 3
	60.2160.70	Anello intermedio Ø 15	KIT 198-226 3
45	60.2161.70	Anello intermedio Ø 18	KIT 199-227 3
	90.2620.00	Anello ten. alt. Ø 15x25x5/3.1 H.P.	KIT 196-226 3
46	90.2681.00	Anello ten. alt. Ø 18x26x5/3 H.P.	KIT 197-227 3
	51.1000.51	Anello di testa Ø 15	KIT 196-226 3
47	51.1001.51	Anello di testa Ø 18	KIT 197-227 3
48	98.2100.00	Tappo G3/8x13	1
49	98.2176.00	Tappo G1/2x10	1
50	96.7380.00	Rosetta Ø 17.5x23x1.5 Al	1
51	96.7514.00	Rosetta Ø 21.5x27x1.5 Al	1



DIS. COD. 60.9501.00

OPTIONALS

60 SERIES

VERSION VERSIONE VH

VERSION WITH BUILT-IN AUT. UNLOADER


VERSIONE CON VALVOLA DI REGOLAZIONE AUT. INCORPORATA

KIT N.	KIT 94	KIT 102
Positions Included	106 - 113 - 115 116 - 117 - 118 119 - 120 - 122	90 - 91 - 92 - 93 94 - 95 - 96 - 97 98 - 99 - 100 - 101 102 - 103 104 - 105
Posizioni include	126	
N. pcs.	1÷2	1÷3

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
81	36.3187.51	Pomolo	1
82	92.2218.00	Dado M8 UNI 5589	1
83	99.3054.00	Vite M8x20 UNI 5923	1
84	36.3316.70	Ghiera antisvitamento - OPTIONAL	1
85	90.3598.00	OR Ø 20,35x1,78	1
86	36.3185.70	Registro pressione	1
87	36.3169.70	Piattello molla	1
88	94.7345.00	Molla Ø 7,6x29	1
89	94.7438.00	Molla Ø 15x35	1
90	36.3184.70	Boccola di guida	KIT 102 1
91	90.3847.00	OR Ø 20,24x2,62	KIT 102 1
92	36.3188.70	Fine corsa	KIT 102 1
93	90.3575.00	OR Ø 6,75x1,78	KIT 102 3
94	94.7332.00	Molla Ø 6,1x19	KIT 102 1
95	36.3331.51	Otturatore	KIT 102 1
96	90.5065.00	Anello per OR	KIT 102 2
97	90.3822.00	OR Ø 9,92x2,62	KIT 102 2
98	36.3189.70	Pistoncino di comando	KIT 102 1
99	90.5025.00	Anello per OR	KIT 102 1
100	36.3165.70	Guida valvola	KIT 102 1
101	90.3589.00	OR Ø 12,42x1,78	KIT 102 1
102	90.5075.00	Anello per OR	KIT 102 1
103	36.3190.66	Valvola sferica	KIT 102 1
104	99.1509.00	Vite M5x7,5	KIT 102 1
105	36.3164.66	Sede valvola	KIT 102 1
106	90.3832.00	OR Ø 13,95x2,62	KIT 94 1
107	10.0147.70	Nipplo M22x1,5 con Ø 3	1
108	10.0078.70	Nipplo G3/8 con Ø 3	1
	10.0318.70	Nipplo 3/8 NPT con Ø 3 - USA version	1
	60.1204.41	Testata con valvola pistone Ø15	1
	60.1205.41	Testata con valvola pistone Ø18	1
	60.1208.41	Testata con valvola sx pistone Ø15	1
	60.1209.41	Testata con valvola sx pistone Ø18	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
109	98.2057.00	Tappo M14x1.5	1
110	98.1966.00	Tappo G1/8x8	1

OPTIONALS			
113	90.3823.00	OR Ø 9,92x2,62	KIT 94 1
114	10.0151.66	Ugello - Nozzle Ø 2 (8-11 l./min.)	1
	10.0076.66	Ugello - Nozzle Ø 2,2 (12-15 l./min.)	1
115	90.3582.00	OR Ø 9,25x1,78	KIT 94 1
116	94.8217.00	Molla conica Ø 4,3/7,3x11	KIT 94 1
117	97.4782.00	Sfera Ø 7/32"	KIT 94 1
118	90.3572.00	OR Ø 5,28x1,78	KIT 94 1
119	94.7383.00	Molla Ø 9,75x10	KIT 94 1
120	90.3580.00	OR Ø 8,73x1,78	KIT 94 1
121	36.3181.51	Corpo dosatore	1
122	90.3585.00	OR Ø 10,82x1,78	KIT 94 1
123	36.2563.70	Sede valvola	1
124	36.2564.70	Otturatore	1
125	36.2565.51	Pomolo	1
126	90.3570.00	OR Ø 4,48x1,78	KIT 94 2
127	36.2566.70	Innesto portagomma	1
130	90.3841.00	OR Ø 17,13x2,62	1
131	36.3182.51	Nipplo aspirazione G3/4	1
132	92.8925.00	Filtro	1
133	90.3828.00	OR Ø 12,37x2,62	1
134	36.2569.70	Portagomma aspirazione	1
135	92.9828.00	Ghiera G3/4	1



DIS. COD. 60.9503.00

KIT N.	KIT 83	KIT 123
Positions Included Posizioni Include	16	3 - 4 - 5 6 - 7 (10)
N. pcs.	3	6

PISTON - PISTONE Ø 15			
MODEL-MODELLO: UL1708 - UH1708 - UH1711 - UH1712			
KIT 196	KIT 198	KIT 200	KIT 226
40-42 43	41	38-39	38-39 40-41 42-43
3	3	3	1

PISTON - PISTONE Ø 18			
MODEL-MODELLO: UL1509 - UL1512			
KIT 197	KIT 199	KIT 225	KIT 227
40-42 43	41	38-39	38-39 40-41 42-43
3	3	3	1

VERSION VERSIONE A

For electric motors
Per motori elettrici
(56 C)


60 SERIES



UL1708 - UL1509
UL1512 - UH1708
UH1711 - UH1712

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	60.1200.41	Testata pist. Ø 15	1
2	60.1201.41	Testata pist. Ø 18	1
3	99.1950.00	Vite M6x45 UNI 5931 8.8 tropicalizzata	8
4	90.3841.00	OR Ø 17,13x2,62 (3068)	KIT 123 6
5	36.2003.66	Sede valvola	KIT 123 6
6	36.2001.76	Valvola	KIT 123 6
7	94.7376.00	Molla Øm. 9,4x14,8 INOX	KIT 123 6
8	36.2025.51	Guida valvola	KIT 123 6
9	90.3847.00	OR Ø 20,24x2,62 (3081) - 90 Sh.	6
10	98.2214.00	Tappo valvola M 24x1,5	6
11	36.7115.01	Gruppo valvola	KIT 123 6
12	99.1807.00	Vite M8x10 UNI 5739 8.8 zincata	4
13	50.1500.74	Coperchio lat. carter	1
14	44.2118.01	Distanziale con indicatore	1
15	90.4097.00	OR Ø 55,56x3,53 (159)	1
16	91.8328.00	Cuscinetto a sfere 6305	1
17	90.1565.00	Anello radiale Ø 15x24x5	KIT 83 3
18	60.0100.22	Carter	1
19	98.2103.00	Tappo carico olio G3/8	1
20	60.0224.65	Albero UH1708	1
21	60.0227.65	Albero UH1711	1
22	60.0229.65	Albero UL1509 - UH1712	1
23	60.0234.65	Albero UL1708 - UL1512	1
24	91.8464.00	Cuscinetto a sfere 6007	1
25	60.0500.66	Guida pistone	3
26	60.0300.22	Biella	3
27	90.3918.00	OR Ø 94,92x2,62 (3375)	1
28	60.1600.22	Coperchio posteriore carter	1
29	99.1867.00	Vite M6x18 UNI 5931 8.8 zincata	8
30	90.3585.00	OR Ø 10,82x1,78 (2043)	1
31	98.2041.00	Tappo G1/4x9	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
32	98.1966.00	Tappo G1/8x8	1
33	97.7333.00	Spinotto Ø 9x24,5	3
34	96.7070.00	Rosetta Ø 9x23x1,5	3
35	90.5022.00	Anello antiest. Ø 6,2x9x1,5	3
36	90.3573.00	OR Ø 5,28x1,78 (2021)	3
37	60.0400.09	Pistone Ø 15x30	3
38	60.0401.09	Pistone Ø 18x30	3
39	44.2115.70	Rosetta Ø 8 con collare	3
40	92.2216.00	Dado M8 INOX	3
41	60.2101.89	Rondella distanziale	1
42	90.1675.00	Anello radiale Ø 35x62x10	1
43	60.0800.70	Anello di fondo Ø 15	KIT 200-226 3
44	60.0801.70	Anello di fondo Ø 18	KIT 225-227 3
45	90.3604.00	OR Ø 25,12x1,78 (2100)	KIT 200-225-226-227 3
46	90.2608.00	Anello ten. alt. Ø 15x22x5 L.P.	KIT 196-226 3
47	90.2650.00	Anello ten. alt. Ø 18x24x5 L.P.	KIT 197-227 3
48	60.2160.70	Anello intermedio Ø 15	KIT 198-226 3
49	60.2161.70	Anello intermedio Ø 18	KIT 199-227 3
50	90.2620.00	Anello ten. alt. Ø 15x25x5/3.1 H.P.	KIT 196-226 3
51	90.2681.00	Anello ten. alt. Ø 18x26x5/3 H.P.	KIT 197-227 3
52	51.1000.51	Anello di testa Ø 15	KIT 196-226 3
53	51.1001.51	Anello di testa Ø 18	KIT 197-227 3
54	98.2100.00	Tappo G3/8x13	1
55	98.2176.00	Tappo G1/2x10	1
56	96.7380.00	Rosetta Ø 17,5x23x1,5 Al	1
57	96.7514.00	Rosetta Ø 21,5x27x1,5 Al	1
58	10.0344.22	Flangia per motore elettrico 56C	1
59	96.6938.00	Rosetta Ø 6,4 Schnorr	4
60	99.1790.00	Vite M6x6 UNI 5929	1



DIS. COD. 60.9504.00

KIT N.	KIT 83	KIT 123
Positions Included Posizioni Include	16	3 - 4 - 5 6 - 7 (10)
N. pcs.	3	6


PISTON - PISTONE Ø 15			
MODEL-MODELLO: EL1707 - EL1708 EH1708 - EH1710 - EH1711 - EH1713			
KIT 196	KIT 198	KIT 200	KIT 226
40-42 43	41	38-39	38-39 40-41 42-43
3	3	3	1

PISTON - PISTONE Ø 18			
MODEL-MODELLO: EL1510 - EL1513			
KIT 197	KIT 199	KIT 225	KIT 227
40-42 43	41	38-39	38-39 40-41 42-43
3	3	3	1

**VERSION
VERSIONE
B**


For electric motors
Per motori elettrici

60 SERIES



POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	60.1200.41	Testata pist. Ø 15	1
2	60.1201.41	Testata pist. Ø 18	1
3	99.1950.00	Vite M6x45 UNI 5931 8.8 tropicalizzata	8
4	90.3841.00	OR Ø 17,13x2,62 (3068)	KIT 123 6
5	36.2003.66	Sede valvola	KIT 123 6
6	36.2001.76	Valvola	KIT 123 6
7	94.7376.00	Molla Øm. 9,4x14,8 INOX	KIT 123 6
8	36.2025.51	Guida valvola	KIT 123 6
9	90.3847.00	OR Ø 20,24x2,62 (3081) - 90 Sh.	6
10	98.2214.00	Tappo valvola M 24x1,5	6
11	36.7115.01	Gruppo valvola	KIT 123 6
12	99.1807.00	Vite M8x10 UNI 5739 8.8 zincata	4
13	50.1500.74	Coperchio lat. carter	1
14	44.2118.01	Distanziale con indicatore	1
15	90.4097.00	OR Ø 55,56x3,53 (159)	1
16	91.8328.00	Cuscinetto a sfere 6305	1
17	90.1565.00	Anello radiale Ø 15x24x5	KIT 83 3
18	60.0100.22	Carter	1
19	98.2103.00	Tappo carico olio G3/8	1
20	60.0248.65	Albero EH1708	1
21	60.0251.65	Albero EH1710	1
22	60.0253.65	Albero EH1711	1
23	60.0256.65	Albero EL1510 - EL1707 - EH1713	1
24	60.0261.65	Albero EL1513 - EL1708	1
25	91.8464.00	Cuscinetto a sfere 6007	1
26	60.0500.66	Guida pistone	3
27	60.0300.22	Biella	3
28	90.3918.00	OR Ø 94,92x2,62 (3375)	1
29	60.1600.22	Coperchio posteriore carter	1
30	99.1867.00	Vite M6x18 UNI 5931 8.8 zincata	8
31	90.3585.00	OR Ø 10,82x1,78 (2043)	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
32	98.2041.00	Tappo G1/4x9	1
33	98.1966.00	Tappo G1/8x8	1
34	97.7333.00	Spinotto Ø 9x24,5	3
35	96.7070.00	Rosetta Ø 9x23x1,5	3
36	90.5022.00	Anello antiest. Ø 6,2x9x1,5	3
37	90.3573.00	OR Ø 5,28x1,78 (2021)	3
38	60.0400.09	Pistone Ø 15x30	3
39	60.0401.09	Pistone Ø 18x30	3
40	44.2115.70	Rosetta Ø 8 con collare	3
41	92.2216.00	Dado M8 INOX	3
42	60.2101.89	Rondella distanziale	1
43	90.1675.00	Anello radiale Ø 35x62x10	1
44	60.0800.70	Anello di fondo Ø 15	KIT 200-226 3
45	60.0801.70	Anello di fondo Ø 18	KIT 225-227 3
46	90.3604.00	OR Ø 25,12x1,78 (2100)	KIT 200-225-226-227 3
47	90.2608.00	Anello ten. alt. Ø 15x22x5 L.P.	KIT 196-226 3
48	90.2650.00	Anello ten. alt. Ø 18x24x5 L.P.	KIT 197-227 3
49	60.2160.70	Anello intermedio Ø 15	KIT 198-226 3
50	60.2161.70	Anello intermedio Ø 18	KIT 199-227 3
51	90.2620.00	Anello ten. alt. Ø 15x25x5/3.1 H.P.	KIT 196-226 3
52	90.2681.00	Anello ten. alt. Ø 18x26x5/3 H.P.	KIT 197-227 3
53	51.1000.51	Anello di testa Ø 15	KIT 196-226 3
54	51.1001.51	Anello di testa Ø 18	KIT 197-227 3
55	98.2100.00	Tappo G3/8x13	1
56	98.2176.00	Tappo G1/2x10	1
57	96.7380.00	Rosetta Ø 17,5x23x1.5 Al	1
58	96.7514.00	Rosetta Ø 21,5x27x1.5 Al	1
59	10.0345.22	Flangia per motore elettrico	1
60	96.6938.00	Rosetta Ø 6,4 Schnorr	4



DIS. COD. 60.9505.00

KIT N.	KIT 83	KIT 123
Positions Included Posizioni Include	16	3 - 4 - 5 6 - 7 (10)
N. pcs.	3	6


PISTON - PISTONE Ø 15			
MODEL-MODELLO: UH1708 - UH1711 - UH1712 - UH1713			
KIT 196	KIT 198	KIT 200	KIT 226
41-43 44	42	39-40	39-40 41-42 43-44
3	3	3	1

PISTON - PISTONE Ø 18			
MODEL-MODELLO:			
KIT 197	KIT 199	KIT 225	KIT 227
41-43 44	42	39-40	39-40 41-42 43-44
3	3	3	1

**VERSION
VERSIONE
C 3/4"**


For gasoline engine
Per motori a scoppio

60 SERIES



POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	60.1200.41	Testata pist. Ø 15	1
	60.1201.41	Testata pist. Ø 18	1
2	99.1950.00	Vite M6x45 UNI 5931 8.8 tropicalizzata	8
3	90.3841.00	OR Ø 17,13x2,62 (3068)	KIT 123 6
4	36.2003.66	Sede valvola	KIT 123 6
5	36.2001.76	Valvola	KIT 123 6
6	94.7376.00	Molla Øm. 9,4x14,8 INOX	KIT 123 6
7	36.2025.51	Guida valvola	KIT 123 6
8	90.3847.00	OR Ø 20,24x2,62 (3081) - 90 Sh.	6
9	98.2214.00	Tappo valvola M 24x1,5	6
10	36.7115.01	Gruppo valvola	KIT 123 6
11	99.1807.00	Vite M8x10 UNI 5739 8.8 zincata	4
12	50.1500.74	Coperchio lat. carter	1
13	44.2118.01	Distanziale con indicatore	1
14	90.4097.00	OR Ø 55,56x3,53 (159)	1
15	91.8328.00	Cuscinetto a sfere 6305	1
16	90.1565.00	Anello radiale Ø 15x24x5	KIT 83 3
17	60.0100.22	Carter	1
18	98.2103.00	Tappo carico olio G3/8	1
	60.0268.65	Albero UH1708	1
19	60.0271.65	Albero UH1711	1
	60.0273.65	Albero UH1712	1
	60.0275.65	Albero UH1713	1
20	91.8464.00	Cuscinetto a sfere 6007	1
21	60.0500.66	Guida pistone	3
22	60.0300.22	Biella	3
23	90.3918.00	OR Ø 94,92x2,62 (3375)	1
24	60.1600.22	Coperchio posteriore carter	1
25	99.1867.00	Vite M6x18 UNI 5931 8.8 zincata	8
26	90.3585.00	OR Ø 10,82x1,78 (2043)	1
27	98.2041.00	Tappo G1/4x9	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
28	98.1966.00	Tappo G1/8x8	1
29	97.7333.00	Spinotto Ø 9x24,5	1
30	96.7070.00	Rosetta Ø 9x23x1,5	1
31	90.5022.00	Anello antiest. Ø 6,2x9x1,5	3
32	90.3573.00	OR Ø 5,28x1,78 (2021)	3
	60.0400.09	Pistone Ø 15x30	3
	60.0401.09	Pistone Ø 18x30	3
34	44.2115.70	Rosetta Ø 8 con collare	3
35	92.2216.00	Dado M8 INOX	3
36	60.2101.89	Rondella distanziale	3
37	90.1675.00	Anello radiale Ø 35x62x10	3
38	90.0635.00	Anello fermo albero	1
	60.0800.70	Anello di fondo Ø 15	KIT 200-226 1
39	60.0801.70	Anello di fondo Ø 18	KIT 225-227 3
40	90.3604.00	OR Ø 25,12x1,78 (2100)	KIT 200-225-226-227 3
	90.2608.00	Anello ten. alt. Ø 15x22x5 L.P.	KIT 196-226 3
41	90.2650.00	Anello ten. alt. Ø 18x24x5 L.P.	KIT 197-227 3
	60.2160.70	Anello intermedio Ø 15	KIT 198-226 3
42	60.2161.70	Anello intermedio Ø 18	KIT 199-227 3
	90.2620.00	Anello ten. alt. Ø 15x25x5/3.1 H.P.	KIT 196-226 3
43	90.2681.00	Anello ten. alt. Ø 18x26x5/3 H.P.	KIT 197-227 3
	51.1000.51	Anello di testa Ø 15	KIT 196-226 3
44	51.1001.51	Anello di testa Ø 18	KIT 197-227 3
45	98.2100.00	Tappo G3/8x13	1
46	98.2176.00	Tappo G1/2x10	1
47	96.7380.00	Rosetta Ø 17,5x23x1.5 Al	1
48	96.7514.00	Rosetta Ø 21,5x27x1.5 Al	1
49	10.0652.22	Flangia per motore a scoppio	1
50	96.6938.00	Rosetta Ø 6,4 Schnorr	1
51	99.1790.00	Vite M6x6 UNI 5929	4



DIS. COD. 60.9506.00

PISTON - PISTONE Ø 15			
MODEL-MODELLO: UH1708 - UH1711 - UH1712 - UH1713			
KIT 196	KIT 198	KIT 200	KIT 226
41-43 44	42	39-40	39-40 41-42 43-44
3	3	3	1

PISTON - PISTONE Ø 18			
MODEL-MODELLO:			
KIT 197	KIT 199	KIT 225	KIT 227
41-43 44	42	39-40	39-40 41-42 43-44
3	3	3	1

**VERSION
VERSIONE
C 3/4"**
Built-In flange
Flangia integrata
For gasoline engine
Per motori a scoppio

60 SERIES



**UH1708
UH1711
UH1712
UH1713**

KIT N.	KIT 83	KIT 123
Positions Included Posizioni Incluse	16	3 - 4 - 5 6 - 7 (10)
N. pcs.	3	6

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	60.1200.41	Testata pist. Ø 15	1
	60.1201.41	Testata pist. Ø 18	1
2	99.1950.00	Vite M6x45 UNI 5931 8.8 tropicalizzata	8
3	90.3841.00	OR Ø 17,13x2,62 (3068)	KIT 123 6
4	36.2003.66	Sede valvola	KIT 123 6
5	36.2001.76	Valvola	KIT 123 6
6	94.7376.00	Molla Øm. 9,4x14,8 INOX	KIT 123 6
7	36.2025.51	Guida valvola	KIT 123 6
8	90.3847.00	OR Ø 20,24x2,62 (3081) - 90 Sh.	6
9	98.2214.00	Tappo valvola M 24x1,5	6
10	36.7115.01	Gruppo valvola	KIT 123 6
11	99.1807.00	Vite M8x10 UNI 5739 8.8 zincata	4
12	50.1500.74	Coperchio lat. carter	1
13	44.2118.01	Distanziale con indicatore	1
14	90.4097.00	OR Ø 55,56x3,53 (159)	1
15	91.8328.00	Cuscinetto a sfere 6305	1
16	90.1565.00	Anello radiale Ø 15x24x5	KIT 83 3
17	60.0101.22	Carter	1
18	98.2103.00	Tappo carico olio G3/8	1
	60.0268.65	Albero UH1708	1
	60.0271.65	Albero UH1711	1
	60.0273.65	Albero UH1712	1
	60.0275.65	Albero UH1713	1
20	91.8464.00	Cuscinetto a sfere 6007	1
21	60.0500.66	Guida pistone	3
22	60.0300.22	Biella	3
23	90.3918.00	OR Ø 94,92x2,62 (3375)	1
24	60.1600.22	Coperchio posteriore carter	1
25	99.1878.00	Vite M6x20 SW-Z.D.	4
26	90.3585.00	OR Ø 10,82x1,78 (2043)	1
27	98.2041.00	Tappo G1/4x9	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
28	98.1966.00	Tappo G1/8x8	1
29	97.7333.00	Spinotto Ø 9x24,5	3
30	96.7070.00	Rosetta Ø 9x23x1,5	3
31	90.5022.00	Anello antiest. Ø 6,2x9x1,5	3
32	90.3573.00	OR Ø 5,28x1,78 (2021)	3
	60.0400.09	Pistone Ø 15x30	3
	60.0401.09	Pistone Ø 18x30	3
34	44.2115.70	Rosetta Ø 8 con collare	3
35	92.2216.00	Dado M8 INOX	3
36	60.2100.51	Protezione	1
37	90.1675.00	Anello radiale Ø 35x62x10	1
38	90.0635.00	Anello fermo albero	1
	60.0800.70	Anello di fondo Ø 15	KIT 200-226 3
	60.0801.70	Anello di fondo Ø 18	KIT 225-227 3
40	90.3604.00	OR Ø 25,12x1,78 (2100)	KIT 200-225-226-227 3
	90.2608.00	Anello ten. alt. Ø 15x22x5 L.P.	KIT 196-226 3
	90.2650.00	Anello ten. alt. Ø 18x24x5 L.P.	KIT 197-227 3
	60.2160.70	Anello intermedio Ø 15	KIT 198-226 3
	60.2161.70	Anello intermedio Ø 18	KIT 199-227 3
	90.2620.00	Anello ten. alt. Ø 15x25x5/3.1 H.P.	KIT 196-226 3
	90.2681.00	Anello ten. alt. Ø 18x26x5/3 H.P.	KIT 197-227 3
	51.1000.51	Anello di testa Ø 15	KIT 196-226 3
	51.1001.51	Anello di testa Ø 18	KIT 197-227 3
45	98.2100.00	Tappo G3/8x13	2
46	98.2176.00	Tappo G1/2x10	1
47	96.7380.00	Rosetta Ø 17,5x23x1.5 Al	1
48	96.7514.00	Rosetta Ø 21,5x27x1.5 Al	1
49	99.1790.00	Vite M6x6 UNI 5929	1
50	90.3833.00	OR Ø 13,95x2,62 (3056)	1
51	98.2000.00	Tappo Ø 11x14x9	2