




DIS. COD. 63.9518.00

KIT N.	KIT 159	KIT 192
Positions Included Posizioni Include	16	3 - 4 - 5 6 - 7 (10)
N. pcs.	3	6

PISTON - PISTONE Ø 15	
MODEL-MODELLO: SSE1505 - SSE1507 - SSE1509 SSU1509 - SSU1511	
KIT 214	KIT 215
41 - 43	39 - 40 41 - 42 43
3	1

PISTON - PISTONE Ø 18	
MODEL-MODELLO: SSE1411 - SSE1413 - SSE1414 SSU1413 - SSU1415	
KIT 204	KIT 216
41 - 43	39 - 40 41 - 42 43
3	1


63 SS SERIES

VERSION
VERSIONE **M**

SSE1505 - SSE1414
SSE1507 - SSU1509
SSE1509 - SSU1511
SSE1411 - SSU1413
SSE1413 - SSU1415

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	63.1216.36	Testata pistone Ø 15 INOX	1
	63.1219.36	Testata pistone Ø 18 INOX	1
2	99.3193.00	Vite M 8x65 UNI 5931 INOX	8
3	90.3841.00	OR Ø 17,13x2,62 (3068)	KIT 192 6
4	36.2036.66	Sede valvola - SS	KIT 192 6
5	36.2001.76	Valvola	KIT 192 6
6	94.7373.00	Molla Ø m. 9,4x14,8 - SS	KIT 192 6
7	36.2025.51	Guida valvola	KIT 192 6
8	90.3847.00	OR Ø 20,24x2,62 (3081)	6
9	98.2229.00	Tappo M 24x1,5x17 INOX	6
10	36.7130.01	Gruppo valvola - SS	KIT 192 6
11	99.1808.00	Vite M 6x10 UNI 5739 - INOX	8
12	63.1500.76	Coperchio laterale carter - INOX	2
13	44.2118.01	Distanziale con indicatore	1
14	90.4097.00	OR Ø 55,56x3,53 (159)	1
15	91.8331.00	Cuscinetto a sfere 6305	2
16	90.1595.00	Anello radiale Ø 18x26x6	KIT 159 3
17	63.0100.22	Carter	1
18	98.2103.00	Tappo carico olio G 3/8	1
	63.0212.65	Albero SSE1507 - SSE1411 - SSU1509 - SSU1413	1
	63.0216.65	Albero SSE1509 - SSE1413 - SSU1511 - SSU1415	1
	63.0218.65	Albero SSE1414	1
	63.0205.65	Albero SSE1505	1
20	91.4892.00	Linguetta	1
21	63.0501.66	Guida pistone - SS	3
22	63.0300.22	Biella	3
23	90.3920.00	OR Ø 101,27x2,62 (3400)	1
24	63.1601.22	Coperchio posteriore	1
	63.1600.22	Coperchio posteriore -OPTIONAL-	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
25	99.1838.00	Vite M 6x14 UNI 5931 - INOX	4
26	90.3585.00	OR Ø 10,82x1,78 (2043)	1
27	98.2040.00	Tappo G 1/4x9 - INOX	1
28	97.7335.00	Spinotto Ø 9x27,5	3
29	96.7076.00	Rosetta Ø 9x25x0,5 - INOX	3
30	90.5022.00	Anello antiest. Ø 6,2x9x1,5	3
31	90.3573.00	OR Ø 5,28x1,78 (2021)	3
	52.0400.09	Pistone Ø 15	3
	44.0401.09	Pistone Ø 18	3
33	63.2115.66	Rosetta Ø 8 con collare - INOX	3
34	92.2215.00	Dado M 8 - SS	3
35	90.1641.00	Anello radiale Ø 25x62x10	1
36	50.2000.74	Piedino	2
37	96.7016.00	Rosetta Ø 8,4 UNI 1751 zincata	4
38	99.3037.00	Vite M 8x16 UNI 5739 - 8.8 zincata	4
39	90.3608.00	OR Ø 28,30x1,78 (2112)	KIT 215-216 3
	63.0806.66	Anello di fondo Ø 15 - SS	KIT 215 3
	63.0807.66	Anello di fondo Ø 18 - SS	KIT 216 3
	90.2150.00	Anello ten. alt. Ø 15x19,5 L.P.	KIT 214-215 3
	90.2200.00	Anello ten. alt. Ø 18x22,5 L.P.	KIT 204-216 3
	63.2164.66	Anello intermedio Ø 15 - SS	KIT 215 3
	63.2165.66	Anello intermedio Ø 18 - SS	KIT 216 3
	90.2160.00	Anello ten. alt. Ø 15x24x8,5 H.P.	KIT 214-215 3
	90.2210.00	Anello ten. alt. Ø 18x28x10 H.P.	KIT 204-216 3
44	63.2100.51	Spia livello olio -OPTIONAL	1
45	90.4051.00	OR Ø 26,58x3,53 (4106) -OPTIONAL	1
46	98.2180.00	Tappo G 1/2x10 INOX	1
47	98.2100.66	Tappo G 3/8x13 INOX	1



DIS. COD. 47.9523.00

PISTON - PISTONE Ø 20		PISTON - PISTONE Ø 22	
MODEL - MODELLO:		MODEL - MODELLO:	
SSE1513-SSE1515-SSE1521		SSE1518	
SSU1515-SSU1518		SSU1521	
KIT 238	KIT 239	KIT 202	KIT 240
42-44	40-41 42-43 44	42-44	40-41 42-43 44
3	1	3	1


KIT N.	KIT 2	KIT 3	KIT 192
Positions Included Posizioni Include	16	39	4-5-6 7-8 (11)
N. pcs.	3	2	6

47 SS SERIES

SSE 1513	SSU 1515
SSE 1515	SSU 1518
SSE 1518	SSU 1521
SSE 1521	

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	47.1219.36	Testata pompa INOX	1
2	99.3207.00	Vite M8x70 UNI 5737 INOX	8
3	96.7022.00	Rosetta 8,4x15x1,5 UNI 1736 INOX	8
4	90.3841.00	OR Ø 17,13x2,62	KIT 192 6
5	36.2036.66	Sede valvola - SS	KIT 192 6
6	36.2001.76	Valvola	KIT 192 6
7	94.7373.00	Molla Ø 9,4x14,8 - SS	KIT 192 6
8	36.2025.51	Guida valvola	KIT 192 6
9	90.3847.00	OR Ø 20,24x2,62	6
10	98.2230.00	Tappo M 24x2x16,7 INOX	6
11	36.7130.01	Gruppo valvola	KIT 192 6
12	99.3038.00	Vite M8x16 UNI 5931 INOX	8
13	47.1501.22	Coperchio lat. carter	1
14	90.3913.00	OR Ø 67,95x2,62	2
15	91.8378.00	Cuscinetto a rulli 32206 SKF	2
16	90.1625.00	Anello radiale Ø 22x32x5,5	KIT 2 3
17	90.9126.00	Boccola Ø 22x25x30	3
18	47.0100.22	Carter	1
19	98.2106.00	Tappo carico olio G 3/8	1
20	90.3922.00	OR Ø 133,02x2,62	1
21	47.0217.35	Albero SSE1521	1
	47.0218.35	Albero SSU1518-SSU1521-SSE1515-SSE1518	1
	47.0219.35	Albero SSU1515-SSE1513	1
22	90.0557.00	Anello di fermo	6
23	91.4890.00	Linguetta	1
24	97.7380.00	Spinotto Ø 13x35,5	3
25	47.0507.66	Guida pistone - SS	3
26	47.0300.01	Biella completa	3
27	99.1913.00	Vite M6x30 UNI 5931 INOX	5
28	47.1601.22	Coperchio post. carter	1

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
29	97.5968.00	Spia olio G3/4	1
30	98.2040.00	Tappo G1/4x9 INOX	1
31	90.3585.00	OR Ø 10,82x1,78	4
32	99.3099.00	Vite M8x35 UNI 5931 Zn	6
33	96.7287.00	Rosetta Ø 14x28x0,5 INOX	3
	47.0404.09	Pistone Ø 20	3
	47.0405.09	Pistone Ø 22	3
34	90.5067.00	Anello per OR	3
35	47.2197.66	Vite fissaggio pistone - SS	3
36	47.1500.22	Coperchio lat. carter	1
37	97.5678.00	Spessore	2
38	90.1648.00	Anello radiale Ø 30x55x7	KIT 3 1
39	90.3616.00	OR Ø 34,65x1,78	KIT 239-240 3
40	47.0815.66	Anello di fondo Ø 20 - SS	KIT 239 3
41	47.0816.66	Anello di fondo Ø 22 - SS	KIT 240 3
42	90.2250.00	Anello tenuta Ø 20x26,15 L.P.	KIT 238-239 3
43	90.2300.00	Anello tenuta Ø 22x28,15 L.P.	KIT 202-240 3
44	47.2176.66	Anello intermedio Ø 20 - SS	KIT 239 3
	47.2177.66	Anello intermedio Ø 22 - SS	KIT 240 3
	90.2262.00	Anello tenuta Ø 20x35x9 H.P.	KIT 238-239 3
	90.2310.00	Anello tenuta Ø 22x35x9 H.P.	KIT 202-240 3
45	47.2000.74	Piedino	2
46	99.3644.00	Vite M10x18 UNI 5931 Zn	4
47	96.7106.00	Rosetta Ø 10 DIN 7980 Zn	4
48	98.2180.00	Tappo G1/2x10 INOX	1
49	98.2100.66	Tappo G3/8x13 INOX	1



DIS. COD. 66.9507.00

KIT N.	KIT 2	KIT 3	KIT 228
Positions Included Posizioni Include	52	39	3 - 4 - 5 6 - 7 (10)
N. pcs.	3	2	6

PISTON - PISTONE Ø 20	
MODEL - MODELLO: SSE1525 SSU1530 - SSU1535	
KIT 206	KIT 217
45-47	43 - 44 45 - 46 47
3	1

PISTON - PISTONE Ø 22	
MODEL - MODELLO: SSE1530 - SSE1535 SSU1540	
KIT 208	KIT 218
45 - 47	43 - 44 45 - 46 47
3	1

PISTON - PISTONE Ø 24	
MODEL - MODELLO: SSE1541 SSU1550	
KIT 210	KIT 219
45 - 47	43 - 44 45 - 46 47
3	1

66 SS SERIES


STANDARD
VERSION

VERSIONE
STANDARD

SSE1525 - SSE1530
SSE1535 - SSE1541
SSU1530 - SSU1535
SSU1540 - SSU1550

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	66.1203.36	Testata pist. Ø 20 - INOX	1
	66.1204.36	Testata pist. Ø 22 - INOX	1
	66.1205.36	Testata pist. Ø 24 - INOX	1
2	99.3802.00	Vite M10x90 UNI 5931 8.8 - INOX	8
3	90.3857.00	OR Ø 23,81x2,62 (132)	KIT 228 12
4	36.2037.66	Sede valvola - SS	KIT 228 6
5	36.2034.76	Valvola	KIT 228 6
6	94.7388.00	Molla Øm. 10x18,5	KIT 228 6
7	36.2035.51	Guida valvola	KIT 228 6
8	90.5165.00	Anello antiest. Ø 24,7x29x1,5	6
9	66.1302.66	Tappo M 32x1,5x29,5 - INOX	6
10	36.7131.01	Gruppo valvola	KIT 228 6
11	99.3070.00	Vite M8x25 UNI 5931 - INOX	4
12	66.1503.66	Coperchio - INOX	1
13	44.2118.01	Distanziale con indicatore	1
14	90.4097.00	OR Ø 55,56x3,53 (159)	1
15	66.1501.22	Coperchio laterale carter	1
16	90.3913.00	OR Ø 67,95x2,62 (3268)	2
17	91.8380.00	Cuscinetto a rulli NJ 2206 EC	2
18	66.0100.22	Carter	1
19	98.2106.00	Tappo carico olio G3/8	1
20	66.0200.35	Albero SSE1525 - SSE1530 - SSU1530	1
	66.0204.35	Albero SSE1535 - SSE1541 - SSU1535 - SSU1540 - SSU1550	1
21	91.4892.00	Linguetta	1
22	66.0300.01	Biella completa	3
23	90.3922.00	OR Ø 133,02x2,62 (3525)	1
24	66.1600.22	Coperchio posteriore	1
25	99.1883.00	Vite M6x20 UNI 5931 - INOX	4
26	90.4051.00	OR Ø 26,58x3,53 (4106)	1
27	63.2100.51	Spia livello olio	1
28	98.2040.00	Tappo G1/4x9 - INOX	1
29	90.3585.00	OR Ø 10,82x1,78 (2043)	4
30	99.3099.00	Vite M8x35 UNI 5931 8.8 zincata	6
32	97.7405.00	Spinotto Ø 14x39	3

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
33	66.0501.66	Guida pistone	3
34	96.7098.00	Rosetta Ø 10x28x0,5 - INOX	3
	66.0400.09	Pistone Ø 20x54	3
35	66.0401.09	Pistone Ø 22x54	3
	66.0404.09	Pistone Ø 24x54	3
36	90.3584.00	OR Ø 10,82x1,78 (2043) - 90Sh.	3
37	66.2196.66	Vite fissaggio pistone - SS	3
38	66.1500.22	Coperchio laterale carter	1
39	90.1648.00	Anello radiale Ø 30x55x7	KIT 3 1
40	99.3038.00	Vite M8x16 UNI 5931 - INOX	4
41	98.2100.66	Tappo G3/8x13 - INOX	2
42	90.3833.00	OR Ø 13,95x2,62 (3056)	1
	66.0817.66	Anello di fondo Ø 20 - SS	KIT 217 3
43	66.0818.66	Anello di fondo Ø 22 - SS	KIT 218 3
	66.0819.66	Anello di fondo Ø 24 - SS	KIT 219 3
44	90.3616.00	OR Ø 34,65x1,78 (2137)	KIT 217-218-219 3
	90.2250.00	Anello ten. alt. Ø 20x26,15 L.P.	KIT 206-217 3
45	90.2300.00	Anello ten. alt. Ø 22x28,15 L.P.	KIT 208-218 3
	90.2350.00	Anello ten. alt. Ø 24x30,15 L.P.	KIT 210-219 3
	66.2172.66	Anello intermedio Ø 20 - SS	KIT 217 3
46	66.2173.66	Anello intermedio Ø 22 - SS	KIT 218 3
	66.2174.66	Anello intermedio Ø 24 - SS	KIT 219 3
47	90.2260.00	Anello ten. alt. Ø 20x30x10 H.P.	KIT 206-217 3
	90.2312.00	Anello ten. alt. Ø 22x32x10 H.P.	KIT 208-218 3
	90.2360.00	Anello ten. alt. Ø 24x34x10 H.P.	KIT 210-219 3
48	47.2000.74	Piedino fissaggio pompa	2
49	96.7106.00	Rosetta Ø 10 DIN 7980	4
50	99.3644.00	Vite M10x18 UNI 5931 8.8 zincata	4
51	90.9126.00	Boccola Ø 22x25x30	3
52	90.1625.00	Anello radiale Ø 22x32x5,5	KIT 2 3
53	98.2266.00	Tappo G3/4x16 - INOX	1
54	90.3585.00	OR Ø 10,82x1,78 (2043)	4
55	98.2046.00	Tappo G1/4x13 - INOX	3



DIS. COD. 70.9510.00

KIT N.	KIT 212	KIT 2040	KIT 2041
Positions Included Posizioni Include	31-33	41 - 42 43 - 44 45 - 46 (47)	3 - 5 - 7 10-14-20 24-27-29 31-33-39 40-45-46
N. pcs.	3	6	1


70SS SERIES



SS7091

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	70.0100.22	Carter pompa	1
2	91.8477.00	Cuscinetto a rulli conici - 33207/Q	2
3	90.3915.00	OR Ø 80.6x2.62 (3318)	KIT 2041 2
4	70.2200.81	Spessore di rasamento 0.1	1
	70.2203.81	Spessore di rasamento 0.25	1
5	90.0756.00	Anello ZJ45	KIT 2041 1
6	70.2118.01	Spia livello olio	1
7	90.3877.00	OR Ø 39.34x2.62 (3156)	KIT 2041 1
8	70.1501.22	Coperchio cuscinetto lato spia	1
9	99.1852.00	Vite TCEI M6x16 - INOX	20
10	90.3833.00	OR Ø 13.95x2.62 (3056)	KIT 2041 4
11	98.2100.66	Tappo G 3/8"x13 - INOX	4
12	98.2115.00	Tappo con asta Ø 21.5x70	1
13	70.1600.22	Coperchio carter	1
14	90.3944.00	OR Ø 196.52x2.62 (3775)	KIT 2041 1
15	98.2005.00	Tappo per foro Ø 15	7
16	99.3123.00	Vite serraggio biella M8x1x42	6
17	70.0200.35	Albero a gomiti C.23	1
18	91.4900.00	Linguetta 8x7x70 UNI 6604	1
19	70.1500.22	Coperchio cuscinetto lato PTO	1
20	90.1668.00	Anello rad. Ø 35x52x7	KIT 2041 1
21	70.0300.01	Biella completa	3
22	70.0500.15	Guida pistone	3
23	97.7420.00	Spinotto Ø 18x36	3
24	90.1677.00	Anello rad. Ø 36x47x7	KIT 2041 3
25	96.7099.00	Rosetta Ø 10x45x1	3

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
26	70.0405.09	Pistone Ø 36x62	3
27	90.3671.00	OR Ø 11x2 (110-20)	KIT 2041 3
28	70.2218.66	Vite fissaggio pistone - INOX	3
29	90.3626.00	OR Ø 50.52x1.78 (2200)	KIT 2041 3
30	70.0810.66	Anello di fondo Ø 36 - INOX	9
31	90.2400.00	Anello ten. alt. Ø 36x42.15 L.P.	KIT 212-2041 3
32	70.2217.66	Anello intermedio Ø 36 - INOX	3
33	90.2410.00	Anello ten. alt. Ø 36x48x8 H.P.	KIT 212-2041 3
34	70.1235.36	Testata pistone Ø 36 - INOX	1
35	99.3818.00	Vite TCEI M10x110 UNI 5931 - INOX	8
36	99.3670.00	Vite TCEI M10x25 UNI 5931 - INOX	14
37	70.2215.36	Coperchio valvole - INOX	2
38	70.2216.66	Tappo valvole aspiraz. / mandata - INOX	6
39	90.5180.00	Anello antiest. Ø 32.4x36.5x1.5	KIT 2041 6
40	90.3865.00	OR Ø 29.82x2.62 (3118)	KIT 2041 6
41	36.2047.51	Guida valvola aspiraz. / mandata	6
42	94.7450.00	Molla Ø 16x27.5 - INOX	6
43	36.2010.76	Valvola sferica aspiraz. / mandata	6
44	36.2070.66	Sede valvola aspiraz. / mandata - INOX	6
45	90.3865.00	OR Ø 29.82x2.62 (3118)	KIT 2041 6
46	90.5178.00	Anello antiest. Ø 31x35.5x1.5	KIT 2041 6
47	36.7154.01	Gruppo valvola aspiraz. / mandata - INOX	KIT 2040 6



DIS. COD. 70.9510.00

KIT N.	KIT 2033	KIT 2042	KIT 2043	KIT 2044
Positions Included	32-35	43 - 45 46 - 47 48 - 49	43 - 44 45 - 46 47 - 48	3 - 5 - 7 10-14-20 25-28-32
Posizioni Include		(51)	(50)	34-35-41 42-47-48
N. pcs.	3	3	3	1

71SS SERIES



SS71170

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
1	71.0100.22	Carter pompa	1
2	91.8590.00	Cuscinetto a rulli conici - 33210/Q	2
3	90.3918.00	OR Ø 94.92x2.62 (3375)	KIT 2044 2
4	71.2200.81	Spessore di rasamento 0.1	1
	71.2203.81	Spessore di rasamento 0.25	1
5	90.0756.00	Anello ZJ45	KIT 2044 1
6	70.2118.01	Spia livello olio	1
7	90.3877.00	OR Ø 39.34x2.62 (3156)	KIT 2044 1
8	71.1501.22	Coperchio cuscinetti lato spia	1
9	99.1868.00	Vite TCEI M6x18 UNI 5931 - INOX	20
10	90.3841.00	OR Ø 17.13x2.62 (3068)	KIT 2044 4
11	98.2181.00	Tappo G 1/2"x13	4
12	98.2120.00	Tappo con asta Ø 21.5x91	1
13	71.1600.22	Coperchio carter	1
14	90.4000.00	OR Ø 215x3	KIT 2044 1
15	98.2060.00	Tappo per foro Ø 15 - TTN18	6
16	99.3138.00	Vite serraggio biella M8x1x48	2
17	71.0200.35	Albero a gomiti C.50	1
18	91.5000.00	Linguetta 12x8x70 UNI 6604	1
19	71.1500.22	Coperchio cuscinetto lato PTO	1
20	90.1700.00	Anello rad. Ø 50x65x8	KIT 2044 1
21	71.0300.01	Biella completa	3
22	90.0606.00	Anello 20 UNI 7437	6
23	71.0500.15	Gguida pistone	3
24	97.7430.00	Spinotto Ø 20x38	3
25	90.1678.00	Anello rad. Ø 38x52x7	KIT 2044 3
26	96.7140.00	Rosetta Ø 10x50x1	3
27	71.0405.09	Pistone Ø 40x95	3

POS.	CODE CODICE	DESCRIPTION DESCRIZIONE	N. PCS.
28	90.3671.00	OR Ø 11x2 (110-20)	KIT 2044 3
29	71.2238.56	Vite fissaggio pistone - INOX	3
30	90.0797.00	Anello di fermo Ø 52 - INOX	3
31	71.2240.66	Anello per tenuta Ø 40 - INOX	3
32	90.2450.00	Anello ten. alt. Ø 40x46.15 L.P.	KIT 2033-2044 3
33	71.2239.66	Supporto guarnizioni Ø 40 - INOX	3
34	90.3891.00	OR Ø 52.07x2.62 (3206)	KIT 2044 3
35	90.2460.00	Anello ten. alt. Ø 40x55x10 H.P.	KIT 2033-2044 3
36	71.1275.36	Testata pistone Ø 40 - INOX	1
37	99.4482.00	Vite TCEI M12x150 UNI 5931 - INOX	8
38	99.4297.00	Vite TCEI M12x35 UNI 5931 - INOX	14
39	71.2236.36	Coperchio valvole - INOX	2
40	71.2237.66	Tappo valvole aspiraz. / mandata	6
41	90.5250.00	Anello antiest. Ø 50.9x55x1.5	KIT 2044 6
42	90.3889.00	OR Ø 48.89x2.62 (3193)	KIT 2044 6
43	36.2045.51	Guida valvola aspiraz. / mandata	6
44	94.7550.00	Molla Ø 25.2x26	3
45	36.2071.56	Valvola sferica - INOX	6
46	36.2072.56	Sede valvola aspiraz. / mandata - INOX	6
47	90.3889.00	OR Ø 48.89x2.62 (3193)	KIT 2044 6
48	90.5240.00	Anello antiestr. Ø 49.5x54x1.5	KIT 2044 6
49	94.7540.00	Molla Ø 24.7x27	3
50	36.7156.01	Gruppo valvola mandata - INOX	KIT 2043 3
51	36.7255.01	Gruppo valvola aspirazione - INOX	KIT 2042 3
58	99.5120.00	Vite TE M16x25 UNI 5740	1
59	71.2230.74	Staffa di sollevamento	1